



HOMESTEAD BOROUGH
221 East Seventh Avenue
Homestead, PA 15120
Phone: (412) 461-1340 Fax: (412) 461-4057

SIDEWALK PERMIT

APPLICANT INFORMATION

Name of Applicant: _____ Email: _____
Contact Person: _____ Phone: () _____
Address: _____ Fax: () _____
City: _____ State: _____ Zip Code: _____ Email: _____

CONTRACTOR INFORMATION

Name: _____ Email: _____
Contact Person: _____ Phone: () _____
Address: _____ Fax: () _____
City: _____ State: _____ Zip Code: _____ Email: _____

LOCATION INFORMATION

Property Address: _____ Parcel ID: _____ - _____ - _____

NAME OF STREET(S) where work will take place (include cross streets): _____

Type of sidewalk: ☐ Concrete ☐ Exposed aggregate ☐ Brick ☐ Other type: _____

Length of sidewalk: _____ Ft. Width of sidewalk: _____ Ft.

All work must be done in accordance with the Ordinances of Homestead Borough and current details on file. The applicant must notify the Homestead Borough (412-461-1340) a minimum of 24 hours before wearing surface is installed to verify that subbase type/depth and wire mesh is installed according to borough details. The applicant also agrees to protect the opening when not on site by suitable barricades and and/or safety lighting if area is not normally illuminated.

Applicant name (print): _____

Date of application: _____ Applicant signature: _____

FEE SCHEDULE

Up to 25 Lineal Feet		\$100.00
Each additional Lineal foot	\$10.00 each	\$
Scanning Document Storage Fees		\$10.00
TOTAL OF ALL FEES		\$

(FOR BOROUGH USE ONLY)

Permit No. _____ Invoice No. _____ Check No. _____


Permit Issued by: _____ Date: _____
Building Code Official/Zoning Officer

TRANSVERSE EXP. JNT.
EVERY 20' OR 30' SHALL
BE 1/2" PREMOLDED
BITUM. ASPHALT OR
FIBER BOARD

ALL FINISHED CONCRETE
SURFACES TO BE TREATED

3000 P.S.I. AIR ENTRAINED
CLASS "A" CONCRETE

5'-0" MAX.
TYPICAL



BURLAP OR
BROOM FINISH


MIN 1" TOOLED EDGE A.A.
STRUCK INTER. JNT. - 3/8"
DEEP

3000 P.S.I. AIR ENTRAINED CLASS "A" CONCRETE,
1:2:3 MIX, 6 GALLONS OF WATER PER SACK OF
CEMENT MAXIMUM.

NO. 10/10
GAGE WELDED
WIRE FABRIC
CENTERED IN SLAB

SLOPE 1/4" PER FOOT
OR AS DIRECTED

1/2" EXPANSION JOINT MATERIAL SHALL
BE PLACED WHERE NEW CONSTRUCTION
MEETS EXISTING CONSTRUCTION AND AS
SHOWN ELSEWHERE.



SAW CUT
EXISTING
SLAB AS
REQUIRED

SERVICE
BOX OR
UTILITY POLE

1/2" EXPANSION
MATERIAL
JOINT

NOTE:
ANY PAVEMENT OR CURB DAMAGED SHALL
BE REPAIRED AT CONTRACTOR'S EXPENSE
TO ENGINEER'S SPECIFICATIONS.

FACE OF CURB

PAVEMENT

DESIGN BY: R. A. D./R. E. Z.

CHECKED BY: .

DATE: 10 / 1 / 97

DRAWN BY: R. A. D./H. E. B.

REVISIONS: .

SCALE: N. T. S.

BOROUGH OF HOMESTEAD TYPICAL SIDEWALK DETAIL

GLENN ENGINEERING & ASSOCIATES LTD.
14920 Route 30 - North Huntingdon, PA

DRAWING NO.:
IX : 3.05 : 04B